



NOTES

1. PROVIDE ONE EACH E0954, EMERGENCY CART, AND M7660, DEFIBRILLATOR, PER CLINIC.

KEY NOTES

1. PROVIDE A1165, IV TRACKS, FOR NAVY PROJECTS ONLY.
2. PROVIDE A5109, GRAB BAR, THAT COMPLIES WITH ADA.
3. MOUNT A5145, HOOK, AT 1372 [4'-6"] AFF. PROVIDE 2-A5145'S FOR NAVY PROJECTS ONLY. MOUNT 1-A5145 AT 1372 [4'-6"] AFF AND 1-A5145 AT 1524 [5'-0"] AFF.
4. MOUNT 1-A5145 AT 1372 [4'-6"] AFF AND 1-A5145 AT 1524 [5'-0"] AFF.
5. LENGTH OF E1500, WALL MOUNTED RAIL, TO BE DETERMINED BY MANUFACTURER/INSTALLER.
6. COORDINATE LOCATIONS OF ELECTRICAL AND DATA OUTLETS WITH M1802, WALL MOUNTED, FOLD DOWN COMPUTER.
7. COORDINATE LOCATION OF M1620, PATIENT CHART HOLDER, AND ROOM SIGNAGE.
8. UTILITIES AND DEVICES INDICATED ARE FOR A CLINIC OR HOSPITAL WITH AN ALTERNATE POWER SOURCE.

TREATMENT ROOM, PROCTOSCOPIC EXAM & TOILET, UNISEX (TRPE1/TLTU1)

SPECIALTY MEDICAL CLINICS

FLOOR/EQUIPMENT PLAN

22.13 NSM (238 NSF)

DATE: 01/28/2002

0 1000 2000

1:50 SCALE (MILLIMETERS)